New Jersey Division of AIDS Prevention and Control Persons Living with HIV/AIDS as of December 31, 2002 Elizabeth City Residents

1	Comment MIN/ATRO Cabanana	Adult/Adolescent Cases %	*	Pediat	ric *		0	Tota	
1.	Current HIV/AIDS Category	Cases		Cases	6 			ases 	%
	AIDS-Any OI AIDS-CD4 Only HIV Only	255 27 279 30 396 43		7 0 9	44 0 56			262 279 405	28 29 43
	Total	930 100		16	100			946	100
2.	Current Age * Cases %	3. Race/Eth.		Cases		Cases	%	Cases	%
	 <5	White, Not Hi Black, Not Hi Hispanic Other/Unknown	spanic spanic		# 53 34 #	# 9 6 #	# 56 38 #	109 502 324 11	53
	50-39 263 28 40-49 384 41 50+ 217 23 Unk. 0 0	Total		930		16 1		946	
	Total 946 100								
4.	Patient Group		Adult/A	dolescen	ıt Tran	smissi	on Mo	odes **	
	-	Males			Female			Tota	
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***	12 22 2 6 16	4 21 2 38 2 4 2 10 1 27		0 95 0 136 94	0 29 0 42 29		12 31 2 19 25	4 14 7 35 2 2 8 22 5 28
	Total	 59			325			91	
		Males	%	diatric	Female	:S %	Mode	Tota	
	Parent at risk/has AIDS/HIV Risk not reported/other***		# # #		# #	# #			# # #
	Total	1	6 100		14	100		3	0 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of December 2002.
- ** 14 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Elizabeth City Residents

Adult/Adolescent*

1. Disease Category

Total

PCP Other OI w KS Alone No Disease			344 (27) 480 (38) 17 (1) 437 (34)	272 (80) 304 (64) 15 (88) 158 (37)	17 0	. (39) ' (61) ' (0) ' (0)	8	3 (73) 3 (47)) (.)	,	38)	312 15	
Total		1	278 (100)	749 (60)	28	(100)	16	5 (57)	1306 (1	.00)	765	(60
Age *	Cases	%	3. Race/E	th.	Adult/A		Pediatr Cases		Total Cases	%		
Under 5	19	1	White,	Not Hispanic	#	#	#	#	211	16		
5-12	9	1	Black,	Not Hispanic	701	55	19	68	720	55		
13-19	#	#	Hispar	nic	358	28	6	21	364	28		
20-29	172	13	Other/	Unknown	#	#	#	#	11	1		
30-39	566	43										
40-49	395	30	Total		1278	100	28	100	1306	100		
Over 49	142	11										
Unknown	#	#										
Total	1306	100										

Pediatric*

14 100

Cases (%) Deaths (%) Cases (%) Deaths (%) Deaths (%)

Total

1.	Patient Group	Adult/Adolescent Transmission Modes **										
		Males	용	Females	%	Total	용					
	Men sex with men (MSM)	217	24	0	0	217	17					
	Injection drug user (IDU)	409	45	168	45	577	45					
	MSM/IDU	54	6	0	0	54	4					
	Heterosexual contact	69	8	135	36	204	16					
	Risk not reported/other***	153	17	73	19	226	18					
	Total	902	100	376	100	1278	100					
			Pedia	atric Transmi	ssion M	odes						
		Males	૪	Females	%	Total	용					
	Parent at risk/has AIDS/HIV	14	100	13	93	27	96					
	Risk not reported/other***	0	0	#	7	#	4					

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

14 100

^{*} Classification at time of AIDS diagnosis.

^{** 0} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Elizabeth City Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	26	23	88%
1985	20	19	95%
1986	40	35	88%
1987	57	53	93%
1988	51	47	92%
1989	62	55	89%
1990	68	60	88%
1991	77	68	88%
1992	109	87	80%
1993	142	99	70%
1994	118	72	61%
1995	117	52	44%
1996	116	39	34%
1997	88	23	26%
1998	60	11	18%
1999	44	10	23%
2000	44	6	14%
2001	44	6	14%
2002	23	0	0%
Total	1306	765	59%

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

New Jersey Division of AIDS Prevention and Control HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2002 Elizabeth City Residents

1. Age *	Cases	%	2. Race/Ethnicity	Adult/A		Pediat Cases	ric* %	Total Cases	%
Under 5	13	3	White, Not Hispanic	#	#	#	#	58	13
5-12	5	1	Black, Not Hispanic	230	53	10	56	240	54
13-19	9	2	Hispanic	135	31	7	39	142	32
20-29	109	24	Other/Unknown	#	#	#	#	8	2
30-39	179	40							
40-49	103	23	Total	430	100	18	100	448	100
Over 49	30	7							
Unknown	0	0							
Total	448	100							

3. Patient Group	Ac	dult/Adol	lescent Transmission Mode	es **	
	Males	%	Females %	Total	%
Men sex with men (MSM)	59	22	0 0	59	14
Injection drug user (IDU)	97	37	43 26	140	33
MSM/IDU	9	3	0 0	9	2
Heterosexual contact	25	10	68 41	93	22
Risk not reported/other***	73	28	56 34	129	30
Total	263	100	167 100	430	100
		Pedia	atric Transmission Modes		
	Males	%	Females %	Total	%
Parent at risk/has AIDS/HIV	10	100	8 100	18	100
Risk not reported/other***	0	0	0 0	0	0
Total	10	100	8 100	18	100
IULai	10	T00	0 100	18	T00

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Elizabeth City Residents

1.	Current HI				Cases			Case	es	cic *				%	
	AIDS-Any O AIDS-CD4 O HIV Only	I nly			841 437 430	25			28 0 18	61 0 39			869	50 25 26	
	Total				1708				46	100				100	
2.	Age *			3.	Race/Eth		(Cases	용		ses	%		Cases	otal %
	Under 5 5-12 13-19 20-29 30-39 40-49 Over 49 Unknown	16 325 750 465 151	2 1 1 19 43 27 9 #			ot Hispanic ot Hispanic known		931 493 # 1708	# 55 29 #		 # 29 13 # 46	63		269 960 506 19 1754	29 1
4.	Patient Gr	oup				Ad Males		/Adoles		Trans emales		on Moo	des ** Total	. %	
	Men sex wi Injection MSM/IDU Heterosexu Risk not r	th men (M drug user al contac eported/c	ISM) (IDU) tt			276 506 63 94 226	2: 4: 1:	4 3 5 8 9		211 0 203 129	0 39 0 37 24		 276 717 63 297 355 	16 42 4 17 21	
						Males) %	Pediatı	F	ransmi remales	ssion %	Mode		્ર	

24 100

0 0

24 100

21 95

22 100

45 98

#

46 100

NOTE: Includes only those persons known to be infected with HIV.

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+/AIDS diagnosis.

Parent at risk/has AIDS/HIV

Risk not reported/other***

Total

- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Elizabeth City Residents

5. ${\tt HIV/AIDS}$ Cases by Year of First ${\tt HIV/AIDS}$ Diagnosis.

Year of First HIV/AIDS Diagnos	is Cases	Number Known Dead	Case-Fatality Rate
Before 1985	29	25	86%
1985	27	25	93%
1986	48	40	83%
1987	79	67	85%
1988	65	55	85%
1989	92	74	80%
1990	106	80	75%
1991	102	76	75%
1992	219	108	49%
1993	167	79	47%
1994	159	60	38%
1995	127	40	31%
1996	116	31	27%
1997	116	18	16%
1998	84	11	13%
1999	75	8	11%
2000	69	7	10%
2001	50	#	#
2002	23	0	0%
Unknown	#	#	#
Total	1754	808	46%

NOTE: Includes only those persons known to be infected with HIV.

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.